LICON SERIES CHIP CONVEYORS





ICON-KP Series Compact Type Chip Conveyor





ICON-KP Series Compact Type Chip Conveyor



Hinge type and drag (scraper) type chip conveyor are made up of single body for unification.

This structure has been adapted to the drum filter system.

In addition, the stainless steel drum filter is constantly cleaned by backwash pump from inside to allow for along time maintenance free working hours.




ICON-KP/J Series Mini Compact Type Chip Conveyor





ICON-KF Series Drag (Scraper) Type Chip Conveyor with Rotary Drum Filter



ICON-KF Series Drag (Scraper) Type Chip Conveyor with Rotary Drum Filter



The system has a rotating drum filter mounted in a modified scraper type conveyor.

The drum is powered by the same chains which drive the conveyor. The system has a scraper type conveyor to received tiny chips.

The integrated rotary drum filter is used to filter the tiny chips and they are disposed to the chip bucket.

The drum filter is cleaned by backwash pump from inside to allow along maintenance free working hours.



ICON-KF Series Drag (Scraper) Type Chip Conveyor with Rotary Drum Filter





ICON-D Series Double Type Chip Conveyor



ICON-P Series Hinge Type Chip Conveyor (Steelbelt Conveyor)





ICON-P Series Hinge Type Chip Conveyor (Steelbelt Conveyor)



ICON-K Series Drag Type Chip Conveyor (Scraper Conveyor)



ICON-K Series Drag Type Chip Conveyor (Scraper Conveyor)



Chip Conveyor Selection

Conveyor Type

				Conveyor Type		
Shape of chips		ICON - D Double Type	ICON - KP Compact Type	ICON - KF Drag type with integrated rotary drum filter	ICON - K Drag type	ICON - P Hinge type
	Sludgy type of about 0,25 to 1 mm	Applicable	Applicable	Applicable	Applicable	Unapplicable
	Needle type of dia. 0,5 mm	Applicable	Applicable	Applicable but not recommended	Applicable but not recommended	Unapplicable
	About 1-5 mm	Applicable	Applicable	Applicable	Applicable	Unapplicable
	About 5-30 mm	Applicable	Applicable	Applicable	Applicable	Applicable but not recommended
	About 30-70 mm	Applicable	Applicable	Applicable but not recommended	Applicable but not recommended	Applicable
	Over 70 mm	Applicable	Applicable	Unapplicable	Unapplicable	Applicable
Features		Applicable however the chips are long or short	Applicable however the chips are long or short	Applicable for short chips under 70 mm	Applicable for short chips under 70 mm	Applicable for long steel chips
Coolant Filter System		Rotary Drum Filter	Rotary Drum Filter	Rotary Drum Filter	Not used	Not used















INTERCON MAKINA SAN. TIC. LTD. ŞTI.

Yukarıdudullu, Imes Sanayi Sitesi A blok No:40 Ümraniye - Istanbul / TURKEI

> Tel. +90 (216) 527 32 52 Fax. +90 (216) 499 48 13

E-mail: info@interconmakina.com.tr sales@interconmakina.com.tr

www.interconmakina.com.tr

